

OUTDOOR SIGNAGE OF NLB OFFICE BUILDINGS AND BRANCHES

3D outdoor signage light elements

October 2025 - V5



3D outdoor signage light elements

- 01 Introduction of outdoor light signange elements
- 02 Materials and colors
- 03 Schematic plans of 3D light elements



Introduction of outdoor light signage elements

NLB business buildings and branches vary in size and architecture. The following manual presents schematic plans of 3D light elements and their usage on NLB office buildings and branches to withhold consistency in visual communication.

The signage consists of elements used to enhance brand awareness and recognition and enhance user experience with better visibility, recognition, consistency and hierarchy of applied information.

www.nlb.si/brand/business-buildings/outdoor-signage

Office building

www.nlb.si/brand/business-buildings/outdoor-signage

1




1

Introduction of outdoor signage 3D light elements

- 1 Symbol
- 2 Signage columns

Branch office

www.nlb.si/brand/business-buildings/outdoor-signage



Introduction of outdoor signage 3D light elements

- 1 Symbol
- 2 Signboard
- 3 Entrance door
Information board
- 4 Equipment of ATMs
- 5 Signage columns

Materials and colors

<https://www.nlb.si/brand/business-buildings/outdoor-signage/materials-colors>

Materials and colors

NOTE: To verify the correct appearance of colors, use the sampler: **NLB Group fundamental outdoor signange elements sampler.**

3D light elements	Product code	Aluminium (2 mm)	Acrylic	Foil for light elements	LED	Other material	Notes
1. Symbol NLB 50 cm	NLB_SY_50		· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· 6000K, 56W		· Painted border of the symbol RAL 9003
2. Light banner with the NLB symbol	NLB_SY_LB_S	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· Symbol: 6000K, 56W · Banner: 6000K, 16W/tm		· Painted border of the symbol RAL 9003
3. Light banner - basic element	NLB_SY_LB	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa		· 6000K, 16W/tm		
4. Light banner - element for ending of light banner, left	NLB_SY_LB_CL	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa		· 6000K, 16W/tm		
5. Light banner - element for ending of light banner, right	NLB_SY_LB_CR	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa		· 6000K, 16W/tm		
6. Symbol NLB 80 cm, grey inscription	NLB_SY_80_G		· Night&Day 12628022 (Grey&White), Altuglas · Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· Sign: 6000K, 160W · Letters: 6000K, 83W		· Painted border of the letters RAL 7012
7. Symbol NLB 80 cm, white inscription	NLB_SY_80_W		· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· Sign: 6000K, 160W · Letters: 6000K, 83W		· Painted border of the letters RAL 9003
8. Symbol NLB 140 cm, grey inscription	NLB_SY_140_G	· RAL Design 290 20 35, gloss level: 50% · RAL 7037, gloss level: 50%	· Night&Day 12628022 (Grey&White), Altuglas · Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· Sign: 6000K, 54W · Letters: 6000K, 86 W		
9. Symbol NLB 140 cm, white inscription	NLB_SY_140_W	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· Sign: 6000K, 54W · Letters: 6000K, 86 W		
10. Sign 140 cm	NLB_SY_S_140	· RAL Design 290 20 35, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· 6000K, 54W		
11. Signboard NLB	NLB_SB	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· 6000K, 35W		
12. Signboard NLB ATM	NLB_SB_ATM	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· 6000K, 46W		
13. Info board 45 x 68 cm	NLB_IB_45	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· 6000K		
14. Info board 55 x 68 cm	NLB_IB_55	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· 6000K		
15. Casing in the width of an ATM	NLB_ATM_CW			· MacTac 9829-00, long-term		Transparent Polycarbonat, print Pantone 2745 C	
16. The canopy for ATM	NLB_ATM_C	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing) · MacTac 9829-00, long-term	· Sign: 6000K, 80W · Canopy: 6000K, 43W		
17. Freestanding ATM with light element	NLB_ATM_FS	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)	· Sign: 6000K · Enclosure: 6000K		
18. Signage column 300 cm	NLB_SC_300	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing) · MacTac 9829-00, long-term	· Sign: 6000K, 44W · Border: 6000K, 56W		
19. Signage column 500 cm	NLB_SC_500	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing) · MacTac 9829-00, long-term	· Sign: 6000K · Border: 6000K		
20. Signage column with bench 300 cm	NLB_SC_300_B	· RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50%	· Crylux, milky/3014, Polycasa	· Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing) · MacTac 9829-00, long-term	· Sign: 6000K · Border: 6000K		

Materials and colors

Painted sheet of aluminum with acrylic



Acrylic, light part

Crylux, milky/3014, Polycasa
The inscription is embossed.

Acrylic, light part

Crylux, milky/3014, Polycasa
The inscription is flush with the alu surface.

Painted edge

RAL Design 290 20 35

Painted sheet of aluminium

RAL 9003

Acrylic, light part

Crylux, milky/3014, Polycasa

Painted sheet of aluminium

RAL Design 290 20 35

Acrylic, light part

Crylux, milky/3014, Polycasa
The inscription is embossed.

Two layers of foil

Hexis T.5274 cut foil+ IMAGin JT WT-PT 9700
white base foil (two -layer gluing)



Painted edge

RAL Design 290 20 35

Painted sheet of aluminium

RAL 9003

Acrylic, light part (lower and upper part of the banner)

Crylux, milky/3014, Polycasa

Painted sheet of aluminium

RAL Design 290 20 35

Note:

The description of material usage for symbol 50 is shown on page 10.

The light elements, which are made of painted **aluminum sheet** and **acrylic**, are made in the way shown in the left visualizations.


The shown manufacturing method is used for the following light elements:

- Light banner with symbol NLB
- Signboard NLB
- Signboard NLB ATM
- Info board 45 x 68 cm
- Info board 55 x 68 cm
- Canopy for ATM
- Free standing ATM with light element
- Signage column

Materials and colors

Light banner (element for ending and corners),
painted sheet of aluminum with acrylic

Light banner - element for ending




Painted edge
RAL Design 290 20 35

Painted sheet of aluminum
RAL 9003

Acrylic, light part (lower and upper part of the banner)
Crylux, milky/3014, Polycasa

Painted sheet of aluminum
RAL Design 290 20 35

Light banner - corner



Painted edge
RAL Design 290 20 35

Painted sheet of aluminum
RAL 9003

Acrylic, light part (lower and upper part of the banner)
Crylux, milky/3014, Polycasa

Painted sheet of aluminum
RAL Design 290 20 35

Light banner with signboard



Painted edge
RAL Design 290 20 35

Painted sheet of aluminum
RAL 9003

Acrylic, light part (lower and upper part of the banner)
Crylux, milky/3014, Polycasa

Painted sheet of aluminum
RAL Design 290 20 35

Materials and colors

Symbol 50 cm, acrylic

Use of symbol on light banner and historic buildings

Acrylic, light part
Crylux, milky/3014, Polycasa

Two layers of foil
Hexis T.5274 cut foul + IMAGin JT WT-PT 9700
white base foil (two-layer gluing)

Acrylic, painted border
RAL 9003, block color

Acrylic, light part
Crylux, milky/3014, Polycasa

Acrylic, painted border
RAL 9003, block color



Materials and colors

Symbol 80 cm, acrylic version

Usage of symbol on light surface

Acrylic, light part

Crylux, milky/3014, Polycasa

Acrylic, light part + two layers of foil

- Crylux, milky/3014, Polycasa
- Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)



Acrylic, light part
Night&Day 12628022 (Grey&White), Altuglas

Acrylic, painted border
RAL 7012, block color


Usage of symbol on dark surface

Acrylic, light part

Crylux, milky/3014, Polycasa

Acrylic, light part + two layers of foil

- Crylux, milky/3014, Polycasa
- Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)



Acrylic, light part
Crylux, milky/3014, Polycasa

Acrylic, painted border
RAL 9003, block color


Materials and colors

Symbol 140 cm, cassette version

Usage of symbol on light surface

Acrylic, light part + two layers of foil

- Crylux, milky/3014, Polycasa
- Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)



Painted sheet of aluminum/edge
RAL Design 290 20 35


Acrylic, light part
Night&Day 12628022 (Grey&White), Altuglas

Painted sheet of aluminum/edge
RAL 7037

Usage of symbol on dark surface

Acrylic, light part + two layers of foil

- Crylux, milky/3014, Polycasa
- Hexis T.5274 cut foil + IMAGin JT WT-PT 9700 white base foil (two-layer gluing)



Painted sheet of aluminum/edge
RAL Design 290 20 35

Acrylic, light part
Crylux, milky/3014, Polycasa

Painted sheet of aluminum/edge
RAL 9003

Schematic plans of 3D light elements

Symbol

- Symbol 50 cm
- Light banner with the NLB symbol
- Symbol 80 cm
- Symbol 140 cm
- Sign 140 cm

Signboard

- NLB Signboard
- NLB ATM Signboard

Entrance door - information board

- Information board 45 x 68 cm
- Information board 55 x 68 cm

Equipment of ATMs

- Casing in the width of an ATM
- The Canopy
- Freestanding ATM with light element

Signage columns

- Signage column 300 cm
- Signage column 500 cm
- Signage column with bench 300 cm



Symbol

NLB

- 1 Symbol 50 cm
- 2 Light banner with the NLB symbol
- 3 Symbol 80 cm
- 4 Symbol 140 cm
- 5 Sign 140 cm






Symbol

Symbol 50 cm

<https://www.nlb.si/brand/business-buildings/outdoor-signage/symbol>

3D light elements	CODE
1. Symbol NLB 50 cm	NLB_SY_50








Symbol


Light banner with the NLB symbol

www.nlb.si/brand/business-buildings/outdoor-signage/symbol


3D light elements	CODE
2. Light banner with the NLB symbol	NLB_SY_LB_S
3. Light banner - basic element	NLB_SY_LB
4. Light banner - element for ending of light banner, left	NLB_SY_LB_CL
5. Light banner - element for ending of light banner, right	NLB_SY_LB_CR




Corner – element for ending, left + basic element




Corner – element for ending, right + basic element



Light banner with signboard - basic element + signboard



Light banner with signboard - basic element + signboard






Symbol

Symbol 80 cm

www.nlb.si/brand/business-buildings/outdoor-signage/symbol

3D light elements	CODE
6. NLB Symbol 80 cm, grey inscription	NLB_SY_80_G
7. NLB Symbol 80 cm, white inscription	NLB_SY_80_W






Symbol

Symbol 140 cm

www.nlb.si/brand/business-buildings/outdoor-signage/symbol

3D light elements	CODE
8. NLB Symbol 140 cm, grey inscription	NLB_SY_140_G
9. NLB Symbol 140 cm, white inscription	NLB_SY_140_W




700 mm


Symbol

Sign 140 cm

www.nlb.si/brand/business-buildings/outdoor-signage/symbol

3D light elements	CODE
10. NLB Sign 140 cm	NLB_SY_S_140





Signboard


- 1 NLB Signboard
- 2 NLB ATM Signboard

Signboard

NLB Signboard

www.nlb.si/brand/business-buildings/outdoor-signage/nlb-and-atm-signboard

3D light elements	CODE
11. NLB Signboard	NLB_SB




Signboard

NLB ATM Signboard

www.nlb.si/brand/business-buildings/outdoor-signage/nlb-and-atm-signboard

3D light elements	CODE
12. NLB ATM Signboard	NLB_SB_ATM



Entrance door

- 1 Information board 45 x 68 cm
- 2 Information board 55 x 68 cm




Entrance door

Information board 45 x 68 cm

www.nlb.si/brand/business-buildings/outdoor-signage/entrance-door

3D light elements	CODE
13. Information board 45 x 68 cm	NLB_IB_45




Entrance door

Information board 55 x 68 cm

www.nlb.si/brand/business-buildings/outdoor-signage/entrance-door

3D light elements	CODE
14. Information board 55 x 68 cm	NLB_IB_55



Equipment of ATMs

- 1 Casing in the width of an ATM
- 2 The Canopy
- 3 Freestanding ATM with light element




Equipment of ATMs

Casing in the width of an ATM

www.nlb.si/brand/business-buildings/outdoor-signage/equipment-of-atms

3D light elements	CODE
15. Casing in the width of an ATM	NLB_ATM_CW





Equipment of ATMs

The Canopy

www.nlb.si/brand/business-buildings/outdoor-signage/equipment-of-atms

3D light elements	CODE
16. The Canopy for ATM	NLB_ATM_C




Equipment of ATMs

Freestanding ATM with light element

www.nlb.si/brand/business-buildings/outdoor-signage/equipment-of-atms

3D light elements	CODE
17. Freestanding ATM with light element	NLB_ATM_FS



Signage columns

- 1 Signage column 300 cm
- 2 Signage column 500 cm
- 3 Signage column with bench 300 cm




Signage columns

Signage column 300 cm

www.nlb.si/brand/business-buildings/outdoor-signage/signage-columns

3D light elements	CODE
18. Signage column 300 cm	NLB_SC_300




Signage columns

Signage column 500 cm

www.nlb.si/brand/business-buildings/outdoor-signage/signage-columns

3D light elements	CODE
19. Signage column 500 cm	NLB_SC_500



Signage columns

Signage column with bench 300 cm

www.nlb.si/brand/business-buildings/outdoor-signage/signage-columns

3D light elements	CODE
20. Signage column with bench 300 cm	NLB_SC_300_B

