

OUTDOOR SIGNAGE OF BUSINESS BUILDINGS

Entrance to the NLB business building

Elements of outdoor signage of entrances
to a business building

December 2025 - V2





- 01** Introduction of outdoor signage elements
- 02** Materials and colors
- 03** Schematic plans and graphic grids

Entrance to the NLB business building

When marking the entrance to an NLB business building, a certain degree of flexibility is required, as the method of signage depends on whether it is the headquarters of NLB or a member of the NLB Group, or a regional NLB business building.

In cases where the building is a protected monument (historical buildings), we comply with the restrictions prescribed by the competent authority for the protection of cultural heritage.

If there are tenants in the building, NLB's rules for signage entrances to the business building also apply to them.

www.nlb.si/brand/business-buildings/outdoor-signage/entrance-door

Outdoor signage of business buildings | Entrance to the NLB business building | Introduction of outdoor signage elements

Entrance to the headquarters of NLB/NLB member

www.nlb.si/brand/business-buildings/outdoor-signage/entrance-door

01

Introduction of outdoor signage elements

- 1 Signage board 1
- 2 Security and video surveillance" sticker
- 3 Safety line on glass surfaces



Entrance to the NLB regional business building

www.nlb.si/brand/business-buildings/outdoor-signage/entrance-door



Introduction of outdoor signage elements

- 1 Signage board 2
- 2 Security and video surveillance” sticker
- 3 Safety line on glass surfaces

Entrance to the historical building

www.nlb.si/brand/business-buildings/outdoor-signage/entrance-door



Introduction of outdoor signage elements

- 1 Signage with a sticker
- 2 Security and video surveillance" sticker
- 3 Safety line on glass surfaces

Materials and colors

www.nlb.si/brand/business-buildings/outdoor-signage/materials-colors

Materials and colors

Entrance to the business building - signage elements	Code	Aluminium (3 mm)	Acrylic	PVC	Foil	LED	Notes
1. Signage board 1	NLB_SB_1	<ul style="list-style-type: none"> · RAL Design 290 20 35, gloss level: 50% · RAL 9003, gloss level: 50% 	<ul style="list-style-type: none"> · Crylux, milky/3014, Polycasa 		<ul style="list-style-type: none"> · Mactac MACal 9829-00, white 	<ul style="list-style-type: none"> · 6000K, 56W 	<ul style="list-style-type: none"> · Painted edge · RAL Design 290 20 35, gloss level: 50%
2. Signage board 2	NLB_SB_2	<ul style="list-style-type: none"> · RAL Design 290 20 35 · RAL 9003 		<ul style="list-style-type: none"> · PVC, 10-20 mm, white 	<ul style="list-style-type: none"> · Mactac MACal 9829-00, white 		<ul style="list-style-type: none"> · Painted edge · RAL Design 290 20 35, gloss level 50%
3. Signage with a sticker - historical buildings	NLB_STC_HB				<ul style="list-style-type: none"> · IMAGin JT WT-PT 9700, Opal white 		
4. Security and video surveillance sticker	NLB_STC_SVS				<ul style="list-style-type: none"> · Digital printing pm MacTac IMAGin JT 8700 CG-RT transparent foil and long term glossy lamination · MacTac LF-9700 CG-UV 		
5. Safety line on glass surfaces	NLB_STC_SL1				<ul style="list-style-type: none"> · Sandblasted, Mactac MACAL Glass Decor 798-01 · IMAGin JT WT-PT 9700, Opal white 		
6. Safety line on glass surfaces - automatic door	NLB_STC_SL1				<ul style="list-style-type: none"> · Sandblasted foil, Mactac MACAL Glass Decor 798-01 		
7. Signage with a sticker - marking of tenants	NLB_STC_T				<ul style="list-style-type: none"> · IMAGin JT WT-PT 9700, Opal white 		

Materials and colors

Signage board 1

Painted sheet of aluminium, 3 mm
RAL Design 290 20 35

Foil
White

NLB d.d.

Sedež

Ulica in številka
1000 Kraj

Dobrodošli tudi 24/7:
www.nlb.si
080 00 00

Acrylic, light part
Crylux, milky/3014, Polycasa

Painted sheet of aluminium
RAL 9003

Painted edge
RAL Design 290 20 35

Materials and colors

Signage board 2

Foil
White

NLB d.d.

Ulica in Bevilca
1000 Ljubljana


Dobrodošli tudi 24/7:
www.nlb.si
080 00 00

Painted sheet of aluminium, 3 mm
RAL Design 290 20 35

PVC, 10-20 mm
White

Painted edge
RAL Design 290 20 35

Painted sheet of aluminium, 3 mm
RAL 9003



Materials and colors

Signage with a sticker

Foil
White

Foil
White

NLB d.d.

Sedež

Ulica in številka
1000 Kraj

Dobrodošli tudi 24/7:
www.nlb.si
080 00 00

Schematic plans and graphic grids

Signage board 1

- Schematic plan
- Graphic grid

Signage board 2

- Schematic plan
- Graphic grid

Signage with sticker

- Graphic grid

Tenant signage

- Graphic grid



Signage board 1


- 1 Schematic plan
- 2 Graphic grid




Signage board 1

Schematic plan

www.nlb.si/brand/business-buildings/outdoor-signage/entrance-door



The height of the board is determined individually, depending on the height and type of entrance.



Signage board 1

Graphic grid




NLB d.d.

Sedež

Ulica in številka
1000 Kraj

Dobrodošli tudi 24/7:
www.nlb.si
080 00 00



NLB Lease&Go d.o.o.

Sedež

Ulica in številka
1000 Kraj

Dobrodošli tudi 24/7:
www.nbleasego.si
080 00 00



**NLB Banka a.d.
Pogorica**

Sedež

Ulica in številka
1000 Kraj

Dobrodošli tudi 24/7:
www.nlb.si
080 00 00



**NLB d.d.
NLB Lease&Go d.o.o.**

Sedež

Ulica in številka
1000 Kraj

Dobrodošli tudi 24/7:
www.nlb.si
080 00 00

CocoSharp Bold, 90 pt, leading 140 pt

CocoSharp Bold, 90 pt, leading 140 pt

A = 2x 68 pt

CocoSharp Bold, 54 pt, leading 68 pt

The thickness of the line is 1 mm,
the length is 50 mm

CocoSharp Regular, 40 pt, leading 68 pt

The thickness of the line is 1 mm,
the length is 50 mm

CocoSharp Bold, 54 pt, leading 68 pt

CocoSharp Regular, 40 pt, leading 68 pt



NLB d.d.

NLB Lease&Go d.o.o.

Sedež

Ulica in številka
1000 Kraj

Dobrodošli tudi 24/7:

www.nlb.si
080 00 00

Signage board 2

- 1 Schematic plan
- 2 Graphic grid



Signage board 2




Schematic plan

www.nlb.si/brand/business-buildings/outdoor-signage/entrance-door



Signage board 2

Graphic grid



CocoSharp Bold, 80 pt, leading 120 pt

CocoSharp Bold, 80 pt, leading 120 pt


A = 2x 60 pt

CocoSharp Regular, 36 pt, leading 60 pt

The thickness of the line is 1 mm,
the length is 50 mm

CocoSharp Bold, 48 pt, leading 60 pt

CocoSharp Regular, 36 pt, leading 60 pt



NLB d.d.

NLB Lease&Go d.o.o.

Ulica in številka
1000 Kraj

Dobrodošli tudi 24/7:

www.nlb.si
080 00 00

Signage with sticker

1 Graphic grid



Signage with sticker

Graphic grid

www.nlb.si/brand/business-buildings/outdoor-signage/entrance-door



CocoSharp Bold, 140 pt	-----	NLB d.d.
A = 2x 105 pt	----- A	
CocoSharp Bold, 82 pt, leading 105 pt	-----	Sedež
The thickness of the line is 1 mm, the length is 50 mm	----- A	-----
CocoSharp Regular, 105 pt, leading 105 pt	-----	Ulica in številka 1000 Kraj
The thickness of the line is 1 mm, the length is 50 mm	----- A	-----
CocoSharp Bold, 82 pt, leading 105 pt	-----	Dobrodošli tudi 24/7:
CocoSharp Regular, 60 pt, leading 105 pt	-----	www.nlb.si 080 00 00

Tenant signage


1 Graphic grid



Tenant signage

Graphic grid

www.nlb.si/brand/business-buildings/outdoor-signage/entrance-door



Upper line at height 1575 mm from the ground.

CocoSharp Bold, 80 pt
A = 170 mm

Upper edge of inscription on height of 1500 mm from the ground.

The thickness of the line is 1 mm, the length is 280 mm

Lorem ipsum d.o.o.

Lorem ipsum d.o.o.

Lorem ipsum d.o.o.